



Care Gaps Guide



Table of Contents


Table of Contents	2
Addressing Care Gaps	3
Addressing Multiple Care Gaps from Storyboard	3
Addressing a Single Care Gap from Storyboard	4
Viewing Outstanding Orders	5
Appendix A: Available Care Gaps	6

Addressing Care Gaps

The Care Gaps that appear in the patient's Storyboard correspond to patients' Health Maintenance topics. Within an encounter, providers are able to easily place orders to satisfy multiple care gaps in just one click.

Addressing Multiple Care Gaps from Storyboard

1. In the Storyboard, *hover* over the Care Gap header
2. *Click* the green checkmarks to open the SmartSets.



3. *Review* the orders listed in the SmartSet. If you don't want to place a particular order, clear its check box.
4. *Click* an order's Summary Sentence to edit its details.

5. To associate the orders with a diagnosis, scroll to the end of the SmartSet and *click* **Associate**.

6. *Click* **Accept** when you're finished associating diagnoses, and then *click* **Sign**.

Note: Care Gaps with defaulted diagnosis will be added to the visit diagnosis for the encounter.

Addressing a Single Care Gap from Storyboard

1. In Storyboard, *hover* over an individual Care Gap and *click* the green checkmark to place an order.

2. Review the default order listed in the shopping cart.

Note: If you do not want to place a particular order, clear its check box and check the appropriate order.

3. *Complete* any required fields.
4. To associate the orders with a diagnosis, *click Dx Associate*.

5. Click **Sign Orders**

[Return to Table of Contents](#)

Viewing Outstanding Orders

Storyboard now shows Care Gaps for which an order has been placed but not completed. The order will show as “awaiting completion”.

CARE GAPS

Pap Smear

Breast Cancer Screening

Wellness Visit

+1 awaiting completion

BP: 120/80 >1 day

Current Medications: None

Encounter Type: None

11/5/2019 Office Visit

None

Mark as Reviewed

Never Reviewed

Care Gaps Awaiting Completion

Overdue

JAN 24 2019

Colorectal Cancer Screening

Last ordered: Oct 23, 2019

[Return to Table of Contents](#)

Appendix A: Available Care Gaps

The following list shows all Care Gaps currently available with their selected orders. Defaults for each Care Gap is denoted with an asterisk (*).

Beta Blocker for CHF w/ EF<40%

- bisoprolol (ZEBETA) 5 mg tablet [18288]
- bisoprolol (ZEBETA) 10 mg tablet [18287]
- bisoprolol (ZEBETA) 20 mg tablet [18287]
- carvedilol (COREG) 3.125 mg tablet [18551]
- carvedilol (COREG) 6.25 mg tablet [15747]
- carvedilol (COREG) 12.5 mg tablet [15749]
- carvedilol (COREG) 25 mg tablet [15748]
- metoprolol succinate XL (TOPROL XL) 12.5 mg 24 hr tablet [29858]
- metoprolol succinate XL (TOPROL XL) 25 mg 24 hr tablet [29858]
- metoprolol succinate XL (TOPROL XL) 50 mg 24 hr tablet [30070]
- metoprolol succinate XL (TOPROL XL) 100 mg 24 hr tablet [30071]
- HLN Heart Failure Beta Blocker Therapy Allergy/Intolerance [70380]
- HLN Heart Failure Beta Blocker Therapy Medical Reason [70377]
- HLN Heart Failure Beta Blocker Therapy Patient Reason [70378]
- HLN Heart Failure Beta Blocker Therapy System Reason [70379]

Chlamydia

For FMOLHS Clinics:

- GenProbe GC & Chlamydia [LAB4387] *
- Chlamydia Trachomatis Culture [LAB12598]
- Chlamydia trachomatis DNA, quantitative [LAB1330]
- Screening for viral and chlamydial diseases [Z11.59, Z11.8] *

For BRC Clinics:

- Chlamydia Gonorrhoeae DNA Qual, PCR [LAB3167B] *
- Screening for viral and chlamydial diseases [Z11.59, Z11.8] *

Cologuard

- Cologuard [LAB8087] *
- Special screening for malignant neoplasms, colon [Z12.11] *

Colonoscopy

For FMOLHS Clinics:

- Ambulatory referral to Gastroenterology - Internal Referral [REF25] *
- Ambulatory referral to Gastroenterology – External Referral [REF25]
- Ambulatory referral to Colorectal Surgery [REF17]
- Ambulatory referral to General Surgery [REF27]
- Colonoscopy, screening [GI7]

For BRC Clinics:

- Ambulatory referral to Gastroenterology - BRC [REF25] *
- Ambulatory referral to Colorectal Surgery [REF17]
- Ambulatory referral to General Surgery [REF27]
- Colonoscopy, screening [GI7]

CT Colonography

- CT virtual colonoscopy screening [IMG1662] *
- Special screening for malignant neoplasms, colon [Z12.11] *

Dexa Scan

For FMOLHS Clinics:

- XR DEXA Central [IMG10113] *
- Screening for osteoporosis [Z13.820] *

For BRC Clinics:

- DEXA, Bone Density [PRO170] *
- DEXA, Bone Density, Peripheral [PRO170A]
- Screening for osteoporosis [Z13.820] *

Diabetic Foot Exam

- Ambulatory referral to Podiatry – External Referral [REF90]
- Ambulatory referral to Podiatry – Internal Referral [REF90]
- Document Diabetic Foot Exam [11065]
- Document "Complete" Diabetic Foot Exam [11333]

Diabetic Nephropathy Screening

For FMOLHS Clinics:

- Microalbumin / Creatinine Urine Ratio [LAB689] *
- lisinopril (PRINIVIL,ZESTRIL) 5 mg tablet [10451]
- lisinopril (PRINIVIL,ZESTRIL) 10 mg tablet [10449]
- olmesartan (BENICAR) 20 mg tablet [32762]
- olmesartan (BENICAR) 40 mg tablet [32763]
- losartan (COZAAR) 50 mg tablet [14824]
- losartan (COZAAR) 100 mg tablet [22588]
- valsartan (DIOVAN) 40 mg tablet [33541]
- valsartan (DIOVAN) 80 mg tablet [31209]
- Ambulatory referral to Endocrinology - Internal [REF22]
- Ambulatory referral to Endocrinology - External [REF22]
- Ambulatory referral to Nephrology – Internal [REF45]
- Ambulatory referral to Nephrology – External [REF45]

For BRC Clinics:

- Microalbumin / Creatinine Urine Ratio [LAB689] *
- lisinopril (PRINIVIL,ZESTRIL) 5 mg tablet [10451]
- lisinopril (PRINIVIL,ZESTRIL) 10 mg tablet [10449]
- olmesartan (BENICAR) 20 mg tablet [32762]
- olmesartan (BENICAR) 40 mg tablet [32763]
- losartan (COZAAR) 50 mg tablet [14824]
- losartan (COZAAR) 100 mg tablet [22588]
- valsartan (DIOVAN) 40 mg tablet [33541]
- valsartan (DIOVAN) 80 mg tablet [31209]
- Ambulatory referral to Endocrinology - BRC [REF22]
- Ambulatory referral to Nephrology [REF45]

Diabetic Retinal Exam

For FMOLHS Clinics:

- Ambulatory referral to Ophthalmology - External Referral [REF57] *
- Ambulatory referral to Ophthalmology – LSU [REF57]

For BRC Clinics:

- Ambulatory referral to Optometry – BRC [REF 57] *

FIT

For FMOLHS Clinics:

- Occult Blood Fecal Immunoassay (Screen) [LAB4412] *
- Special screening for malignant neoplasms, colon [Z12.11] *

For BRC Clinics:

- Occult Blood Fecal Immunoassay (Screen) x2 – BRC [LAB4412A]
- Special screening for malignant neoplasms, colon [Z12.11] *

Flexible Sigmoidoscopy

For FMOLHS Clinics:

- Ambulatory referral to Gastroenterology - Internal Referral [REF25] *
- Ambulatory referral to Gastroenterology – External Referral [REF25]
- Ambulatory referral to Colorectal Surgery [REF17]
- Ambulatory referral to General Surgery [REF27]
- Colonoscopy, screening [GI7]

For BRC Clinics:

- Ambulatory referral to Gastroenterology - BRC [REF25] *
- Ambulatory referral to Colorectal Surgery [REF17]
- Ambulatory referral to General Surgery [REF27]
- Colonoscopy, screening [GI7]

FOBT

- iFOBT – Occult Blood Fecal Immunoassay (Screen) [LAB4412] *
- POCT Occult Blood Stool [POC13]
- Special screening for malignant neoplasms, colon [Z12.11] *

Hemoglobin A1C

- Hemoglobin A1c [LAB90] *
- Hemoglobin A1c – BRC [LAB90]
- POCT glycosylated hemoglobin (Hb A1C) [POC4]

Hepatitis C Screening

For FMOLHS Clinics:

- HCV Antibody RFX to Quant PCR [LAB11947]
- Need for hepatitis C screening test [Z11.59]

For BRC Clinics:

- Hepatitis C antibody [LAB868]
- Need for hepatitis C screening test [Z11.59]

Influenza

For Non-PBB Clinics:

- (QUAD) Flu Vaccine 0.5 mL (PF) > or = 6 Months IM [IMM42]
- High-Dose 0.7 mL (PF) Influenza Virus Vaccine [IMM121]
- (QUAD) Flublok Flu Vaccine 0.5 mL (PF) > or = 18yo [IMM108]
- (QUAD) Flu vaccine greater than or equal to 3 yo 0.5 mL with preservation IM [IMM95A]
- (QUAD) Flu vaccine 6-35mo 0.25 mL with preservative IM [IMM95B]
- (QUAD) Flumist Nasal Vaccine [IMM23]
- Immunization due [Z23] *

For PBB Clinics:

- (QUAD) Flu Vaccine 6-35mo 0.25mL with Preservative IM [190727]
- (QUAD) Flu Vaccine > or = 3yo 0.5 mL with Preservative IM [190727]
- (QUAD) Flu Vaccine 0.5 mL Syringe (PF) > or = 6 Months IM [190723]
- (QUAD) Flu Vaccine 0.5 mL Suspension (PF) > or = 6 Months IM [190729]

- (QUAD) High-Dose Flu Vaccine 0.5 mL (PF) IM [190728]
- (QUAD) Flublok Flu Vaccine 0.5 mL (PF) > or = 18yo IM [190726]
- (QUAD) Flumist Nasal Vaccine [191176]
- Immunization due [Z23] *

Mammogram

For FMOLHS Clinics:

- MM Screening Mammogram Bilateral [IMG10025] *
- Encounter for screening mammogram for breast cancer [Z12.31] *

For BRC Clinics:

- MM 3D Tomo Screening Mammogram Bilateral – BRC Only [IMG11381] *
- MM 3D Tomo Screening Mammogram with Implants Bilateral - BRC Only [IMG11386]
- Encounter for screening mammogram for breast cancer [Z12.31] *

Meningococcal B

For Non-PBB Clinics:

- Meningococcal Group B, Recombinant Vaccine [IMM96] *
- Meningococcal Group B, OMV [IMM97]
- Need for vaccination for meningococcus [Z23] *

For PBB Clinics:

- Bexsero 50 mcg - 50 mcg - 25 mcg/0.5mL [168940] *
- Trumenba 120 mcg/0.5 mL [168215]
- Need for vaccination for meningococcus [Z23] *

Pap Smear

- Ambulatory referral to Gynecology – External Referral [REF30] *
- Ambulatory referral to Gynecology – Internal Referral [REF30]
- Age 30 & over Pap w/HPV [LAB11657]
- Age 21-29 Pap Reflex HPV for ASCU [LAB11701]
- Screening for cervical cancer [Z12.4] *

Pneumococcal Vaccine: 65+ Years

For Non-PBB Clinics:

- Pneumococcal conjugate vaccine 13-valent IM [IMM78]
- Pneumococcal polysaccharide vaccine 23-valent greater than or equal to 2yo subcutaneous/IM [IMM53] *
- Need for pneumococcal vaccination [Z23] *

For PBB Clinics:

- pneumococcal conjugate (PREVNAR 13) vaccine [103895] *
- pneumococcal polysaccharide (PNEUMOVAX 23) 25mcg/0.5 mL - Syringe [111964] *
- pneumococcal polysaccharide (PNEUMOVAX 23) vaccine - Suspension [11037]
- Need for pneumococcal vaccination [Z23] *

Pneumococcal Vaccine: Pediatrics (0 to 5 Years) and At-Risk Patients (6-64 Years)

For Non-PBB Clinics:

- Pneumococcal conjugate vaccine 13-valent IM [IMM78]
- Pneumococcal polysaccharide vaccine 23-valent greater than or equal to 2yo subcutaneous/IM [IMM53] *
- Need for pneumococcal vaccination [Z23] *

For PBB Clinics:

- pneumococcal conjugate (PREVNAR 13) vaccine [103895]
- pneumococcal polysaccharide (PNEUMOVAX 23) 25mcg/0.5 mL - Syringe [111964] *
- pneumococcal polysaccharide (PNEUMOVAX 23) vaccine - Suspension [11037]

- Need for pneumococcal vaccination [Z23] *

Smoking Cessation Intervention

- Tobacco Cessation Counseling [25983] *
- Ambulatory referral to Smoking Cessation Program – OLOL [REF100]
- Ambulatory referral to Smoking Cessation Program – SFMG [REF100]
- Ambulatory referral to Smoking Cessation Program - External Referral [REF100]
- Nicorette 4 MG gum [10718]
- NICODERM CQ (Patch) 21 mg/24 hr [27863]
- Wellbutrin XL
 - Wellbutrin XL 150 mg 24 hr tablet [36775]
 - Wellbutrin XL 300 mg 24 hr tablet [36776]
- Chantix
 - Chantix Starting Month Box [76446]
 - Chantix Continuing Month Box 1mg [76445]
- Chantix Starting Dose Pack (1st month only) [76446]
- Currently smokes tobacco [F17.200] *

Statin Therapy for Prevention and Treatment of CVD

Candidate for HIGH Intensity Statin (>50% LDL decrease)

- atorvastatin (LIPITOR) 40 mg tablet [19177]
- atorvastatin (LIPITOR) 80 mg tablet [28645]
- rosuvastatin (CRESTOR) 20 mg tablet [35135]
- rosuvastatin (CRESTOR) 40 mg tablet [35136]

Candidate for MODERATE Intensity Statin (30% - 50% LDL decrease)

- atorvastatin (LIPITOR) 10 mg tablet [19176]
- atorvastatin (LIPITOR) 20 mg tablet [19178]
- rosuvastatin (CRESTOR) 5 mg tablet [36612]
- rosuvastatin (CRESTOR) 10 mg tablet [35134]
- pravastatin (PRAVACHOL) 40 mg tablet [11112]
- pravastatin (PRAVACHOL) 80 mg tablet [32128]
- simvastatin (ZOCOR) 20 mg tablet [11365]
- simvastatin (ZOCOR) 40 mg tablet [11366]

Candidate for LOW Intensity Statin (<30% LDL decrease)

- atorvastatin (LIPITOR) 20 mg tablet [19178]
- pravastatin (PRAVACHOL) 20 mg tablet [11111]
- simvastatin (ZOCOR) 10 mg tablet [11364]

Vascular Care: Anti-Platelet Rx

- Order for 81 mg Aspirin Daily OTC [688] *
- Plavix 75 mg tablet [22142]

[Return to Table of Contents](#)